

0000-0000-0000-0000


NIZLANT 86 DATA REPORT RESULTS OF AN OCEANOGRAPHIC
CRUISE TO NORTHERN BAF (U) NAVAL POSTGRADUATE SCHOOL
MONTEREY CA R W BOURKE ET AL APR 88 NPS-68-84-004

154

UNCLASSIFIED

F/G 8/3

NL



AD-A195 622

DTIC FILE COPY

1

NPS-68-88-004

NAVAL POSTGRADUATE SCHOOL

Monterey, California



DTIC
ELECTE
S JUN 30 1988 D
E

MIZLANT 86 DATA REPORT
RESULTS OF AN OCEANOGRAPHIC CRUISE
TO NORTHERN BAFFIN BAY AND NARES STRAIT
IN SEPTEMBER 1986

Robert H. Bourke, Robert G. Paquette
and Victor G. Addison, Jr.

April 1988

Final Report for Period
1 October 1987 - 30 September 1988

Approved for public release; distribution is unlimited.

Prepared for:
Director, Arctic Submarine Laboratory
Naval Ocean Systems Center
San Diego, CA 92152

88 6 29 120

NAVAL POSTGRADUATE SCHOOL
Monterey, California


Rear Admiral R. C. Austin
Superintendent


Kneale T. Marshall
Acting Provost


This work was prepared in conjunction with research sponsored by the Arctic Submarine Laboratory, Naval Ocean Systems Center, San Diego, California and funded by the Naval Postgraduate School.

Reproduction of all or part of this report is authorized.


This report was prepared by:


ROBERT H. BOURKE
Professor of Oceanography



ROBERT G. PAQUETTE
Professor of Oceanography


VICTOR G. ADDISON, JR.
LT, USN

Reviewed by:


CURTIS A. COLLINS
Chairman
Department of Oceanography

Released by:


GORDON F. SCHACHER
Dean of Science and Engineering

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE				
4. PERFORMING ORGANIZATION REPORT NUMBER(S) NPS 68-84-004			5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION Naval Postgraduate School		6b. OFFICE SYMBOL (If applicable) Code 68	7a. NAME OF MONITORING ORGANIZATION Arctic Submarine Laboratory	
6c. ADDRESS (City, State, and ZIP Code) Monterey, CA 93943-5100			7b. ADDRESS (City, State, and ZIP Code) Code 19, Bldg. 371 Naval Ocean Systems Center San Diego, CA 92152	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Naval Postgraduate School		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER	
8c. ADDRESS (City, State, and ZIP Code) Monterey, CA 93943-5100			10. SOURCE OF FUNDING NUMBERS	
			PROGRAM ELEMENT NO.	PROJECT NO.
			TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) MIZLANT 86 DATA REPORT, RESULTS OF AN OCEANOGRAPHIC CRUISE TO NORTHERN BAFFIN BAY AND NARES STRAIT IN SEPTEMBER 1986				
12. PERSONAL AUTHOR(S) Robert H. Bourke, Robert G. Paquette, and Victor G. Addison, Jr.				
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM 10/1/87 TO 9/30/88		14. DATE OF REPORT (Year, Month, Day) April 1988
15. PAGE COUNT 32 + 73 figures				
16. SUPPLEMENTARY NOTATION				
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP		
			Baffin Bay	
			Nares Strait	
			SIR JOHN FRANKLIN	
			Arctic Intermediate Water	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)				
<p>Salinity and temperature measurements were made at 145 oceanographic stations in northern Baffin Bay and the waters to the north as far as the southern fringes of the Lincoln Sea. Intermediate water from the West Spitzbergen Current is shown to turn westward and enter Lancaster Sound, being walled off from entering Smith Sound to any great degree by bathymetry. Intermediate water from the Arctic Ocean flows southward, the deeper and warmer parts truncated by a sill in Kennedy Channel.</p>				
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED	
22a. NAME OF RESPONSIBLE INDIVIDUAL Robert H. Bourke			22b. TELEPHONE (Include Area Code) 408-646-3270	
			22c. OFFICE SYMBOL Code 68Bf	

MIZLANT 86 DATA REPORT
RESULTS OF AN OCEANOGRAPHIC CRUISE
TO NORTHERN BAFFIN BAY AND NARES STRAIT
IN SEPTEMBER 1986

by

Robert H. Bourke, Robert G. Paquette and Victor G. Addison, Jr.

I. INTRODUCTION

During September 1986, aboard the Canadian ice breaker CCGS SIR JOHN FRANKLIN, scientists from the Naval Postgraduate School, the Arctic Submarine Laboratory, Bedford Institute and the Polar Research Laboratory carried out an oceanographic and bathymetric measurement program from Baffin Bay northward into Smith Sound, Kane Basin, Kennedy Channel and Robeson Channel (the latter four collectively known as Nares Strait), reaching the southern fringes of the Lincoln Sea at latitude $82^{\circ} - 09'N$. A bathymetric chart of the area is shown as Figure 1 and the station positions as Figure 2. In the present discussion we shall use the name Smith Sound to include the basin to the south although most maps seem to apply the name only to the passage between this basin and Kane Basin. This cruise makes the most northerly penetration of an oceanographic ship since the 1971 cruise of the CCGS LOUIS S. ST. LAURENT.

The principal objectives of the cruise were to characterize the water masses and circulation in northern Baffin Bay and Nares Strait and to conduct a bathymetric survey of Nares Strait. Specific objectives were to

1. Establish the nature of the westward turning of the West Greenland Current as it recirculates in northern Baffin Bay to join the Baffin Current.
2. Conduct circulation and water mass analyses to determine the relation of the Atlantic Water in the northern reaches of Nares Strait with that found in the West Greenland Current.
3. Describe the characteristics of the waters of Nares Strait, since so few oceanographic observations have been made in its northern reaches.
4. Examine the baroclinic circulation at the entrances to Smith, Jones and Lancaster Sounds to assess the contributions of these flows to the circulation and water budget of northern Baffin Bay.

The results of the bathymetric survey have been reported in a preliminary cruise report (Bourke, 1986) and will not be further discussed here. A detailed analysis of the physical oceanographic data relative to the above objectives has recently been completed by Addison (1987).

The present report briefly sketches the major cruise statistics and findings. It includes, as Appendix A, a list of stations and ancillary data. Appendix B includes a complete set of plots of temperature, salinity, sound speed and sigma-t versus depth for each station occupied.

1. Prior Work

Previous investigations up to 1970 are summarized by Muench (1971) and the cruise of WESTWIND 1970 is described by Muench (1972). These data were taken with reversing bottles, except for WESTWIND 1969 and WESTWIND 1970 in which the Bisset-Berman STD was used. In all, between 1916 and 1970 about 680 stations have been occupied in 22 different cruises in northern Baffin Bay, Smith Sound, Kane Basin and the mouths of Lancaster Sound and Jones Sound. Since 1970, little oceanographic measurement has been done north of 75°N.

2. Narrative.

The cruise, designated AE86, took place on a Canadian icebreaker because of Canadian objections to the passage of a U. S. icebreaker through some of the channels of the Canadian Archipelago. This caused some equipment problems which are summarized in the next section.

The scientific personnel consisted of the following persons.

Professor Robert H. Bourke, Naval Postgraduate School,

NPS, Chief Scientist

Lt. Alan M. Weigel, USN,

Lt. Victor G. Addison, USN, NPS

Mr. Patrick Barthelow, NPS

Dr. Edward Floyd, Arctic Submarine Laboratory, Naval

Ocean Systems Center, San Diego (NOSC)

Dr. Burton Markham, NOSC

Mr. Robert K. Perry, NOSC, bathymetrlist

Accession For	
NTIS	GRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



Mr. Kim O. McCoy, Polar Research Laboratory, Santa Barbara

Dr. E. Peter Jones, Bedford Institute of Oceanography, Halifax

The scientific party met in Montreal, Canada on 5 September 1986 and flew to Resolute Bay on Cornwallis I. to join the ship. The ship was underway on 6 September heading for the first station at the mouth of Lancaster Sound. After occupying a line of stations across the mouth of Lancaster Sound, the ship proceeded northward to do the same at the mouth of Jones Sound. Then the ship occupied 21 stations in Smith Sound, 47 in Kane Basin and 15 stations along Kennedy and Robeson Channels. On the return south, 22 more stations were occupied and the cruise was terminated with 3 lines, 26 stations, in Melville Bay on 26 September. A total of 145 stations were occupied, not counting a 25-hour time series at the southern end of Kennedy Channel at Station 115. Simultaneous with the CTD time series was a series of direct current measurements with a Hydro Products current meter recording on deck. Neither of these time series has seen more than a cursory analysis to date.

II. INSTRUMENTATION

Since the icebreaker was not equipped with a winch for scientific equipment the Neil Brown CTD could not be used. Instead, three Applied Micro Systems Ltd. Model STD-12 CTD's were used. This is an internally recording CTD in which the data from a lowering is dumped into an IBM PC-compatible computer for further processing, recording and display. A battery-powered winch and synthetic fiber line were used for lowering the instrument.

The instrument has a stated accuracy of 0.02 milliSiemens/cm (0.020 mmho/cm) in electrical conductivity, 0.01°C in temperature and no stated accuracy in depth. The resolutions were stated to be 0.003 mS/cm, 0.001°C and 0.05 dbar, respectively. Although the stated accuracy in salinity is 0.01, the accuracy derivable from the conductivity and temperature accuracies is nearer 0.02 in salinity at low temperatures.

The response constants for temperature and conductivity are not stated. Empirically it was found that constants of 0.058 sec in temperature and 0.02 sec in conductivity produced a reasonable unscrambling of the loops in the temperature-salinity diagram during despiking. These loops occur characteristically when sharp temperature transients are recorded with an instrument in which the lags of the two sensors are not matched.

The data were recorded internally in coded binary form and then were read off, after a lowering, into a Compaq computer for conversion into engineering units. The translated results were written to 5.25-in floppy diskettes. The instrument was programmed to sample the data stream every 0.8 dbar of pressure change, up or down. Significantly finer resolution in pressure, although desired, was not convenient because of computer memory limitations in the deeper lowerings and the long time required to download the CTD data to the computer.

The data stream was sampled for time, pressure, temperature and conductivity during 0.125 sec. Thus, a significant response error was generated also from the non-simultaneity of sampling.

There were three instruments involved: Numbers 422, 433 and 467. No. 433 is the property of the Naval Postgraduate School (NPS) and was calibrated at 20 temperatures in the range 0.2 to 12.4°C both before and after the cruise. Conductivity was calibrated at 5 points between 42 and 55 mS/cm, unfortunately with none of the lower

values characteristic of the low-temperature Arctic waters. Pressure was calibrated at 12 points between 0 and 690 dbar.

Calibrations for the other two instruments were not available initially. They finally were calibrated by intercomparison with No. 433 on a number of lowerings made with the three instruments together on the same line. A number of comparisons were attempted with the salinity samples from a Niskin bottle (without thermometers) clamped to the lowering wire just above the CTD on a number of lowerings. The latter comparisons were not useful for high accuracy standardization because the salinity gradients both in time and in space were so large, at the depths available, that the two techniques were not sampling effectively the same water.

The calibration technique finally used is described as follows. The after-cruise calibrations of No. 433 were expressed as first-degree polynomials in the variable concerned and accepted. In the case of conductivity, in which the data did not extend to zero conductivity, the least-squares fit was forced to include a point near the origin which was changed by trial until the error of fit was minimized.

The pressures on the two other meters were calibrated by noting the pressure offset when crossing the water surface to obtain the constant term in the equation. Then, on simultaneous lowerings, the first-degree term was derived by comparison of the pressures at the bottom of the lowering with the corrected pressure from 433. These pressure calibrations then were applied to the simultaneous lowerings and tables of temperature and conductivity were generated every 20 decibars of pressure. Differences from 433 were calculated and these differences were fitted to a first-degree equation. One equation, tentatively judged to be the most reliable, was chosen for each variable for Meters 422 and 467 and recomputed to an absolute basis rather than relative to 433.

Finally, all the results of simultaneous lowerings were checked, using the tentative calibrations, by plotting them as temperature-conductivity diagrams and overlaying

the diagrams on a light table. This technique has the advantages of ignoring depth errors and instant-of-sampling errors and it averages over a large number of points. The curves were gratifyingly similar and only minor adjustments, mostly in conductivity, were necessary. It should be noted that there were enough irregularities in the curves that unique fits could be obtained by overlaying. As a result, the temperature and conductivity offsets could be satisfactorily distinguished. The several lowerings were consistent and it is believed that the relative accuracies between the meters is better than 0.01 mS/cm and 0.01°C.

To these errors there must be added (in an r.m.s. sense) the errors in the laboratory calibration of 433, which are about 0.003°C and 0.007 mS/cm. Presently, no information is at hand to assess any possible effect of environmental temperatures in the field on the electronics. Exclusive of such effects, it is concluded that the absolute error in the variables is smaller than 0.02°C. and 0.02 mS/cm. This would make the r.m.s. error in salinity about 0.03.

Interestingly, the overlaying of temperature-conductivity diagrams also provided a way of checking the pressure calibrations. Points selected every 20 dbars were plotted on the curves. Failure of these points to coincide indicated pressure errors. In one case the pressure calibration was refined by this technique. It is believed that the pressures are accurate within two decibars.

Editing was by means of the programs used heretofore for the Neil Brown Instrument Systems (NBIS) CTD. These programs were modified slightly to accommodate several data characteristics not found in the NBIS data.

The following editing was performed.

1. Gross errors, if any, were removed.

2. Top of lowering and bottom of lowering anomalies and repetitions were removed, automatically if the anomalies were large, manually if they were too small to be trusted to an automatic screening.
3. Depth reversals were eliminated.
4. Obvious bad spots in the data were eliminated by interpolation.
5. The temperature and conductivity were corrected for the effects of sensor lag ("despiking").
6. The despiked conductivities were smoothed with a 5-point centered running mean.
7. All the derived variables were computed.

After the first editing, temperature-salinity diagrams were plotted for all the stations and anomalies were corrected by repeating parts of the editing procedure, usually with the elimination of one or more bad points from the original data. In 5 cases, where ice apparently had formed in the conductivity cell, it was necessary to accept the upward traverse in order to get a satisfactory data set. In a few cases the response constants for the despiking operation were changed on the assumption that the lowering speed had been significantly changed.

The edited data are relatively free of anomalies, but not perfect, particularly because the despiking process is not perfect and the rate of lowering is variable and only approximately known.

All the station data were successfully recovered from the floppy diskettes except for Station 64 which had complications preventing final editing and recalculation.

Both up and down profiles were obtained at each station but only down profiles were retained, except for six stations (See Appendix 2) in which the up profile was judged more accurate. This generally occurred when flushing and soaking of the CTD failed to

completely remove any ice film frozen in the conductivity cell prior to lowering. The warmer water at deeper depths was always sufficient to melt this ice.

III. RESULTS

A detailed analysis of the cruise results is given by Addison (1987). The description which follows is abbreviated.

The major communications of northern Baffin Bay with waters to the south are the northward flowing West Greenland Current, having its origins in the East Greenland Current, and the southward flowing Baffin Current, which becomes the Labrador Current farther south. These circulations, as shown by Muench (1972) may be seen in Figure 3. Not apparent in this figure are cold water outflows from Smith, Jones and Lancaster Sounds. The circulation is shown in more detail in Figure 4, a map of surface dynamic topographies obtained from the present work.

The waters from the above three sounds also contain slightly warmer and more saline intermediate water at depth. There are two kinds of intermediate water, one propagating southward from the Arctic Ocean through Nares Strait, which we shall call Arctic Basin Intermediate Water (AB-IW). The other is contained in the West Greenland Current and is called West Greenland Current Intermediate Water (WGC-IW). This latter propagates northward to the southern entrance of Smith Sound and across northern Baffin Bay to enter Lancaster Sound.

The change of water properties northward may be seen in the south-to-north sections of Figures 5 and 6, which extend from northern Baffin Bay to the north end of

Robeson Channel. The upper layers north of the ice edge are typified by the lower temperatures and lower salinities due to melting ice. South of the ice edge, the effects of the ice become more diffuse. There is a deep-reaching perturbation of the water column near the ice edge, a phenomenon seen in various forms by several investigators (See, for example, Buckley et al., 1979; Paquette et al., 1985; Bourke, et al., 1987).

The action of the sill south of Station 89 in cutting off the more saline layers ($S > 34.5$) of the AB-IW is clear. The colder but less saline, hence shallower, intermediate water propagates southward little changed to the southern reaches of Kane Basin. Here the more saline layers at the extreme bottom disappear. Continuing southward and following the 34.0 isohaline, little change in temperature is observed until the effect of WGC-IW is seen near the southern entrance to Smith Sound between Stations 22 and 28. This latter intermediate water is characterized by temperatures more than a degree C warmer than the AB-IW on, for example, the 34.0 isohaline.

Most of the WGC-IW appears to turn west towards Lancaster Sound, following the contours of Melville Bay and Cape York. A little farther northward, a west-to-east section extending from Jones Sound to Thule, Greenland (Figure 7) shows that the WGC-IW, now considerably cooled from the temperatures above 1°C observed farther south, is confined to the eastern channel. The shallow bathymetry near the Carey Islands (Figure 3) prevents further northward flow of the WGC-IW, shunting it instead to the west. The western channel near the entrance to Smith Sound in Figure 7 has maximum temperatures near bottom of -0.2°C , indicating that the intermediate water here is of the northern type.

The horizontal distribution of the intermediate waters is shown in Figure 8 as the temperature on the 34.0 salinity surface. The choice of this salinity surface is a compromise. Admittedly it is at a shallow enough depth to involve some modification by upper-layer water but it is purposely shallow enough so that a number of shallow

stations that otherwise would be unrepresented are included. The separation into three different regions, a northern, a southern and a transition water, is rather clean. The coldest water is sharply cut off by the sill south of Station 89; the warmest water is sharply limited by a line extending roughly ENE from Lancaster Sound, corresponding to an arc of shallow features in the bathymetry. In the central area of Kane Basin and Smith Sound the transitional intermediate water is warmer than that north of the sill but colder than would be expected from extensive mixing of the two parent water masses, indicating that the contribution of the WGC-IW is small compared to the AB-IW.

The characteristics of these several waters may be seen in the temperature-salinity diagrams of Figure 9. The close similarity of intermediate waters from the West Greenland Current (Sta. 122A) and the mouth of Lancaster Sound (Sta. 005) is clear. The West Greenland Current Intermediate Water, therefore, must move westward across the northern end of Baffin Bay into the deep eastern end of Lancaster Sound. The intermediate water at the north end of Robeson Channel (Sta. 096) is not only colder but also more saline than the waters to the south. The sill in Kennedy Channel cuts off this water mass at about the 34.5 isohaline. The modification this northern water receives farther south may be seen in the curve for Station 119 in the middle of Smith Sound.

The shallow ends of the curves in Figure 9 reflect mainly different climatic conditions and different concentrations of ice cover. In the extreme north, surface waters are near freezing whereas at the most southerly station, Station 122A, the temperature is nearly 1°C, but already showing the surficial cooling of autumn. The three more southerly curves show a temperature minimum at about 100 m depth. This is a relic of the previous winter's cooling being overcome by summer heating working downward from the surface.

It also appears that the surface water of northern Baffin Bay and the bodies of water to the north is somewhat more saline than surface water in the West Greenland Current. Whether this is due to dilution of the latter current while it was still the East Greenland Current or to a higher rate of addition of fresh water from the glaciers in the warmer climates of the more southerly parts of the region is presently unclear.

In summary, the more interesting aspects of the results are these.

1. There is a southward flow of Arctic Ocean water through Nares Strait to depths great enough to include the upper portions of the Arctic Basin Intermediate Water.
2. Intermediate water from the Arctic Basin suffers a truncation by a sill in Kennedy Channel.
3. Warmer intermediate water from the West Greenland Current enters the deeper portions of Lancaster Sound. This water enters Smith Sound only to a minor degree and is sharply delimited by shallow topographic features near the Carey Islands, severely restricting its advance into Smith Sound.

ACKNOWLEDGMENTS

The authors wish to express their gratitude for the help provided by the officers and crew of the Canadian icebreaker SIR JOHN FRANKLIN. This research was conducted under the cognizance of the Arctic Submarine Laboratory, Naval Ocean Systems Center, San Diego, CA and was funded by the Naval Postgraduate School.

REFERENCES

Addison, V. G., The physical oceanography of the northern Baffin Bay - Nares Strait region, Tech. Rept. NPS-68-87-008, Naval Postgraduate School, Monterey, CA, 1987.

Bourke, R. H., Preliminary results of the oceanographic cruise of CCGS SIR JOHN FRANKLIN to Baffin Bay and Nares Strait, September 1986, Tech. Rept. NPS 68-86-010, Naval Postgraduate School, Monterey, CA, 1986

Bourke, R. H., J. L. Newton, R. G. Paquette and M. D. Tunnicliffe, Circulation and water masses of the East Greenland Shelf, J. Geophys. Res. (C7), 6729 - 6740, 1987.

Buckley, J. R., T. Gammelsrod, J. A. Johannessen, O. M. Johannessen and L. P. Roed, Upwelling: oceanic structure at the edge of the Arctic ice pack in winter, Science, 203, 165-167, 1979.

Muench, R. D., The physical oceanography of the northern Baffin Bay region, Baffin Bay-North Water Project, Arctic Inst. North Am. Sci. Rept. No. 1, 157 p, 1971.

Muench, R. D., Oceanographic conditions in the northern Baffin Bay region, 24 July-6 August 1970, U. S. Coast Guard Rept. No. 54, CG 373-54, August 1972.

Paquette, R. G., R. H. Bourke, J. L. Newton and W. F. Perdue, The East Greenland Polar Front in autumn, J. Geophys. Res., 90 (C3), 4866-4882, 1985.




Figure 1. A chart of the northern Baffin Bay - Nares Strait region. Ice concentrations greater than 7/10 during the FRANKLIN 86 cruise are represented as shaded areas.




Figure 2. CTD station positions for the FRANKLIN 86 cruise.




Figure 3. The classical circulation picture in Baffin Bay (from Muench, 1971).




Figure 4. The surface dynamic topography relative to 200 decibars, in dynamic centimeters.




Figure 5. Temperature and salinity transect from Baffin Bay northward to Kane Basin. The northern intermediate water along the 34.0 isohaline changes little until the southern intermediate water (dark shading) exerts some influence between Stations 22 and 28. Perturbations of the water column by the ice edge are seen near Station 44.




Figure 6. Temperature and salinity transect from Kane Basin northward to the north end of Robeson Channel. Arctic Ocean Intermediate Water more saline than 34.5 (light shading, contour not shown) is prevented from propagating farther southward in Nares Strait by the sill near Station 89.




Figure 7. Temperature and salinity transect from Jones Sound to Thule. Intermediate water of the southern type enters the east side of the eastern channel but is diverted to the west by the shallow bathymetry of the Carey Islands. Intermediate water of the northern type appears in the western channel near Jones Sound.




Figure 8. Areal distribution of Arctic Ocean Intermediate Water and West Greenland Current Intermediate Water and their admixtures, shown as temperature on the 34.0 salinity surface. Unshaded areas generally indicate shallow water or lack of data. Areas in northern Baffin Bay with shaded bars or arrows indicate a reasonable presumption of propagation of the southern water mass in spite of limited data.




Figure 9. Temperature-salinity correlation for four stations illustrating the change of water properties from south to north and from east to west. Symbols are placed on the curves every 50 decibars of pressure. The close similarity of intermediate water in the West Greenland Current (WGC) and mouth of Lancaster Sound (LS) indicates propagation from the former to the latter. Intermediate Water in Smith Sound (SS) is a transitional fraction less saline than 34.4 and segregated from Arctic Basin Intermediate Water at the north end of Robeson Channel (RC) by a sill in Kennedy Channel.

APPENDIX A

Explanation of Heading Codes

The heading of the printed output uses the coding from NOIDC Publication M-2, August 1964, with a few exceptions. Heading entries which are not self-explanatory are as follows: MSQ is the Marsden square, and DPTH is the water depth in meters. Wave source direction (WVD) is in tens of degrees, but the direction 00 indicates calm seas due to ice dampening. The significant wave height is coded by Table 10 (code - 2 = height in meters). Wind speed, V, is coded as Beaufort force, Table 17. The barometer is in tenths of millibars, omitting the 900 or 1000 digit as appropriate; wet and dry bulb temperatures are in degrees C. The ice concentration, ICE, is in tenths; amounts less than one tenth are preceded by a minus sign and indicate concentrations in powers of ten, e.g., $10^{-4} = -4$.

The entry, NAV, is a code to identify the accuracy of each station position based upon the navigation system used. Code 1 indicates a position determined by visual sightings, radar or by navigation satellite; Code 2 a position determined by Omega or Loran; and Code 3 a position determined by dead reckoning. During MIZLANT 86 all station locations were determined by visual or radar sightings or by satellite navigation.

The heading data are listed sequentially with increasing station number.

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPTH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18	JF	N73-47.3	W081-36.5	261	09	07	86	12.0	1-	577	1	0	06	0	07	4	201	-01.4	-02.3
18	JF	N73-52.2	W081-35.5	261	09	07	86	13.5	2-	687	1	0	06	4	08	6	201	-01.4	-02.3
18	JF	N73-57.2	W081-38.5	261	09	07	86	15.0	3-	627	1	0	07	3	07	6	204	-01.0	-02.0
18	JF	N74-03.7	W081-36.5	261	09	07	86	17.0	4-	727	1	0	06	3	06	6	202	-01.1	-02.5
18	JF	N74-08.5	W081-37.0	261	09	07	86	18.7	5-	765	1	0	07	3	06	6	202	-01.0	-02.2
18	JF	N74-13.2	W081-32.1	261	09	07	86	20.1	6-	782	1	0	07	3	07	5	209	-01.2	-02.2
18	JF	N74-18.1	W081-40.0	261	09	07	86	21.3	7-	717	1	0	05	3	06	6	211	-01.0	-02.6
18	JF	N74-23.5	W081-33.2	261	09	07	86	22.8	8-	687	1	0	07	3	07	6	210	-01.1	-02.1
18	JF	N74-29.0	W080-20.8	261	09	08	86	01.7	9-	658	1	0	03	3	05	6	203	-01.5	-02.5
18	JF	N74-36.4	W078-58.6	260	09	08	86	04.7	10-	512	1	0	36	3	03	5	192	-01.5	-02.5
18	JF	N75-04.7	W079-00.3	260	09	08	86	08.8	11-	527	1	0	36	3	35	5	188	-02.5	-04.5
18	JF	N75-39.4	W079-57.0	260	09	08	86	17.0	12-	557	1	1	31	2	30	4	182	-03.5	-05.0
18	JF	N75-48.4	W081-06.0	261	09	08	86	19.4	13-	522	1	0	27	2	30	4	186	-03.5	-05.0
18	JF	N75-54.0	W081-07.3	261	09	08	86	20.5	14-	582	1	0	28	2	30	5	191	-03.7	-05.1
18	JF	N75-59.1	W081-05.5	261	09	08	86	21.8	15-	637	1	0	32	1	31	5	187	-04.0	-05.0
18	JF	N76-03.9	W081-06.8	261	09	08	86	23.3	16-	682	1	0	34	1	34	2	183	-02.6	-04.0
18	JF	N76-09.1	W079-42.6	260	09	09	86	02.7	17-	137	1	4	00	0	34	1	170	-03.5	-04.2
18	JF	N76-12.8	W078-23.0	260	09	09	86	06.0	18-	157	1	4	00	0	33	6	166	-03.5	-04.7
18	JF	N76-15.6	W077-02.5	260	09	09	86	08.3	19-	297	1	0	01	4	36	6	158	-03.6	-04.5
18	JF	N76-20.4	W075-35.9	260	09	09	86	10.5	20-	332	1	0	01	5	02	6	148	-01.9	-04.5
18	JF	N76-21.8	W074-17.2	260	09	09	86	12.5	21-	469	1	0	01	3	01	5	133	-01.5	-02.0
18	JF	N76-24.5	W072-53.9	260	09	09	86	14.6	22-	602	1	0	01	3	01	4	119	-00.6	-01.0
18	JF	N76-27.8	W071-30.4	260	09	09	86	17.4	23-	517	1	0	36	2	01	4	104	+00.5	+01.1

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT SHIP	LAT	LONG	MSQ	MO	DAY	YR	HR	STA	DPTH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18 JF	N76-29.8	W070-28.5	260	09	09	86	20.1	24-	102	1	0	15	2	15	6	115	00.0	00.0
18 JF	N76-40.7	W071-26.0	260	09	10	86	21.0	25-	647	1	0	31	1	32	2	260	-01.0	-01.4
18 JF	N76-51.6	W072-37.0	260	09	10	86	23.5	26-	227	1	0	31	1	33	2	259	-02.1	-03.0
18 JF	N76-59.6	W074-03.1	260	09	11	86	01.3	27-	492	1	0	36	2	00	0	260	-01.8	-02.6
18 JF	N77-09.1	W075-21.2	260	09	11	86	03.5	28-	557	1	0	17	1	27	1	260	-02.4	-02.8
18 JF	N77-18.0	W076-44.8	260	09	11	86	06.6	29-	457	1	0	00	0	30	4	254	-02.0	-03.0
18 JF	N77-22.8	W077-24.0	260	09	11	86	08.1	30-	127	1	5	36	1	36	4	207	-02.4	-03.1
18 JF	N77-31.5	W076-21.5	260	09	11	86	11.1	31-	372	1	0	35	0	36	1	255	-03.0	-03.6
18 JF	N77-35.7	W074-59.9	260	09	11	86	12.9	32-	657	1	0	04	1	36	3	250	-01.9	-03.0
18 JF	N77-40.6	W073-34.5	260	09	11	86	15.0	33-	237	1	0	36	1	34	3	243	-01.4	-02.3
18 JF	N77-43.9	W072-45.8	260	09	11	86	16.2	34-	132	1	0	00	0	00	0	243	-00.5	-01.0
18 JF	N77-55.3	W072-42.0	260	09	11	86	20.9	35-	77	1	0	00	0	34	2	240	-01.1	-01.4
18 JF	N77-58.8	W073-26.1	260	09	11	86	22.0	36-	237	1	0	00	0	36	4	237	-01.9	-02.0
18 JF	N78-04.0	W074-07.9	260	09	11	86	23.4	37-	717	1	0	00	0	01	4	232	-02.4	-03.0
18 JF	N78-07.8	W074-48.5	260	09	12	86	01.5	38-	647	1	0	00	0	36	3	230	-03.2	-03.5
18 JF	N78-14.7	W075-12.8	260	09	12	86	03.7	39-	207	1	9	00	0	30	1	232	-04.0	-04.3
18 JF	N78-12.1	W074-43.8	260	09	12	86	05.0	40-	592	1	6	00	0	34	3	231	-05.0	-05.5
18 JF	N78-13.2	W074-01.2	260	09	12	86	13.6	41-	687	1	0	00	1	01	5	248	-01.7	-02.8
18 JF	N78-13.1	W073-20.5	260	09	12	86	15.9	42-	477	1	2	01	3	01	6	245	-02.5	-03.7
18 JF	N78-14.5	W072-52.5	260	09	12	86	17.2	43-	107	1	0	01	5	01	7	239	-02.6	-03.5
18 JF	N78-17.9	W073-35.0	260	09	12	86	18.4	44-	607	1	5	00	0	27	6	246	-02.5	-04.5
18 JF	N78-23.0	W074-22.0	260	09	12	86	20.5	45-	347	1	9	00	0	16	4	252	-02.6	-03.5
18 JF	N78-24.0	W074-37.2	260	09	12	86	22.2	46-	507	1	9	00	0	35	4	242	-03.5	-04.5

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPTH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18 JF	N78-26.2	W074-14.8	260	09	13	86	00.5	47-	507	1	8	00	0	02	5	232	-01.8	-02.7
18 JF	N78-24.2	W073-15.8	260	09	13	86	02.6	48-	467	1	3	00	0	01	4	220	-02.5	-02.9
18 JF	N78-28.8	W072-46.0	260	09	13	86	03.0	49-	247	1	4	00	0	00	0	213	-02.5	-02.8
18 JF	N78-32.8	W073-28.0	260	09	13	86	05.0	50-	502	1	8	00	0	01	4	204	-02.0	-03.4
18 JF	N78-36.2	W074-16.0	260	09	13	86	08.5	51-	235	1	8	04	0	04	3	202	-01.9	-03.3
18 JF	N78-39.1	W073-35.0	260	09	13	86	09.8	52-	297	1	7	02	0	01	3	202	-03.4	-04.0
18 JF	N78-45.5	W073-54.5	260	09	13	86	11.3	53-	417	1	8	35	0	35	3	196	-03.4	-04.0
18 JF	N78-51.9	W074-30.1	260	09	13	86	13.2	54-	227	1	8	30	0	29	2	199	-03.2	-03.9
18 JF	N78-57.9	W075-00.0	260	09	13	86	14.3	55-	352	1	9	00	0	30	1	196	-03.2	-03.9
18 JF	N78-54.8	W074-09.0	260	09	13	86	16.3	56-	382	1	8	00	0	25	1	195	-03.1	-03.6
18 JF	N78-50.1	W073-03.0	260	09	13	86	18.5	57-	442	1	9	00	0	16	1	197	-03.6	-04.0
18 JF	N78-45.7	W072-08.0	260	09	13	86	21.2	58-	437	1	4	00	0	16	2	200	-02.0	-02.2
18 JF	N78-41.6	W071-38.0	260	09	13	86	22.3	59-	117	1	3	00	0	00	0	201	-01.6	-01.9
18 JF	N78-48.0	W071-52.0	260	09	13	86	23.6	60-	412	1	8	00	0	22	5	203	-00.5	-00.9
18 JF	N78-53.2	W072-27.0	260	09	14	86	01.0	61-	242	1	0	00	0	21	6	208	-00.1	-00.7
18 JF	N79-02.4	W072-14.8	260	09	14	86	02.2	62-	197	1	7	00	0	21	5	210	-00.4	-00.7
18 JF	N78-49.2	W070-36.1	260	09	14	86	05.0	63-	367	1	6	00	0	00	0	220	-01.0	-01.5
18 JF	N78-41.0	W071-11.0	260	09	14	86	08.5	64-	77	1	9	13	0	13	1	221	-02.5	-03.0
18 JF	N78-52.2	W071-15.5	260	09	14	86	10.0	65-	357	1	8	13	0	12	4	220	-00.1	-00.5
18 JF	N78-54.9	W070-37.0	260	09	14	86	11.5	66-	392	1	9	00	0	10	1	219	-03.1	-03.4
18 JF	N78-54.8	W069-37.5	259	09	14	86	13.0	67-	87	1	7	11	0	12	1	211	-02.0	-02.9
18 JF	N78-59.8	W070-21.0	260	09	14	86	14.3	68-	247	1	7	00	0	08	1	215	-01.9	-02.5
18 JF	N79-02.9	W071-07.3	260	09	14	86	15.6	69-	162	1	7	00	0	21	4	211	-00.7	-01.1

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18	JF	N79-07.4	W071-47.5	260	09	14	86	16.6	70-	177	1	1	00	0	20	4	207	-01.5	-01.7
18	JF	N79-13.1	W072-53.0	260	09	14	86	18.5	71-	262	1	7	00	0	00	0	198	-02.5	-02.7
18	JF	N79-18.8	W073-57.8	260	09	14	86	21.0	72-	177	1	9	00	0	02	1	189	-02.2	-02.3
18	JF	N79-28.2	W073-14.5	260	09	14	86	23.5	73-	187	1	8	00	0	23	1	186	-01.5	-01.5
18	JF	N79-36.5	W072-35.1	260	09	15	86	01.3	74-	117	1	8	00	0	00	0	180	-01.5	-01.5
18	JF	N79-32.5	W071-54.1	260	09	15	86	04.0	75-	252	1	3	00	0	34	2	201	-01.2	-01.5
18	JF	N79-20.0	W070-05.3	260	09	15	86	07.0	76-	237	1	9	00	0	20	3	177	-01.6	-01.8
18	JF	N79-11.3	W068-39.5	259	09	15	86	10.0	77-	297	1	9	00	0	09	3	175	-01.0	-01.5
18	JF	N79-13.0	W068-43.0	259	09	15	86	13.7	78-	387	1	9	00	0	28	1	171	-01.2	-01.6
18	JF	N79-20.3	W068-30.6	259	09	15	86	15.5	79-	262	1	9	00	0	00	0	170	-05.2	-05.2
18	JF	N79-27.3	W069-43.2	259	09	15	86	20.0	80-	227	1	8	00	0	01	2	170	-04.0	-04.0
18	JF	N79-49.2	W070-07.3	260	09	16	86	01.5	81-	232	1	3	00	0	05	2	171	-04.2	-04.5
18	JF	N80-02.2	W070-11.9	908	09	16	86	04.1	82-	202	1	9	00	0	01	4	179	-04.6	-05.7
18	JF	N79-58.0	W069-19.8	259	09	16	86	05.6	83-	252	1	4	00	0	01	5	174	-03.4	-03.6
18	JF	N79-55.9	W067-54.1	259	09	16	86	07.0	84-	117	1	6	00	0	01	4	174	-02.6	-03.1
18	JF	N80-04.1	W067-48.2	907	09	16	86	09.3	85-	227	1	1	36	1	36	4	175	-02.0	-04.0
18	JF	N80-21.7	W067-36.0	907	09	16	86	11.5	86-	162	1	6	00	0	02	4	174	-03.6	-04.4
18	JF	N80-23.1	W068-09.8	907	09	16	86	13.6	87-	247	1	8	00	0	01	3	175	-05.0	-05.6
18	JF	N80-25.6	W068-56.0	907	09	16	86	19.5	88-	337	1	8	00	0	33	1	158	-04.5	-04.8
18	JF	N80-36.8	W067-48.5	907	09	16	86	23.6	89-	357	1	5	00	0	27	2	140	-04.4	-04.6
18	JF	N80-44.7	W067-10.0	907	09	17	86	02.7	90-	347	1	7	00	0	00	0	129	-04.0	-05.0
18	JF	N80-54.4	W066-30.0	907	09	17	86	06.8	91-	422	1	9	00	0	20	1	112	-05.1	-05.5
18	JF	N81-06.1	W065-12.7	907	09	17	86	10.0	92-	422	1	5	00	0	00	0	090	-06.0	-06.0

STATION DATA NIZLANT 86 (ARCTIC EAST 1986)

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPTH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18	JF	N81-17.8	W064-24.5	907	09	17	86	13.3	93-	447	1	9	00	0	06	2	068	-06.8	-07.0
18	JF	N81-24.3	W064-18.5	907	09	17	86	16.3	94-	622	1	9	00	0	35	1	048	-06.5	-06.7
18	JF	N81-33.7	W063-35.2	907	09	17	86	20.3	95-	767	1	9	00	0	20	2	035	-07.5	-08.0
18	JF	N81-54.5	W062-33.2	907	09	18	86	02.0	96-	662	1	9	00	0	21	3	045	-06.5	-07.0
18	JF	N82-06.7	W061-27.8	907	09	18	86	05.3	97-	607	1	9	19	1	21	4	029	-06.2	-06.6
18	JF	N82-08.3	W061-26.0	907	09	18	86	09.5	98-	562	1	9	00	0	21	6	033	-06.0	-06.4
18	JF	N82-07.0	W061-26.5	907	09	18	86	12.0	99-	607	1	8	23	0	21	6	034	-05.5	-05.8
18	JF	N82-06.7	W061-25.8	907	09	18	86	14.1	100-	607	1	8	22	1	21	5	039	-05.2	-05.6
18	JF	N82-06.8	W061-26.2	907	09	18	86	14.7	101-	552	1	8	22	1	21	6	039	-05.1	-05.6
18	JF	N82-08.8	W061-20.0	907	09	18	86	15.5	102-	537	1	8	21	1	21	6	040	-05.0	-05.6
18	JF	N82-02.0	W061-23.1	907	09	18	86	18.3	103-	562	1	9	00	0	21	6	042	-04.9	-05.4
18	JF	N82-00.3	W062-00.9	907	09	18	86	19.5	104-	592	1	9	00	0	21	7	037	-04.5	-05.0
18	JF	N81-55.1	W061-28.6	907	09	18	86	21.5	105-	737	1	9	00	0	22	7	040	-05.5	-06.0
18	JF	N81-56.9	W061-42.4	907	09	19	86	01.6	106-	562	1	9	00	0	23	7	045	-04.0	-05.2
18	JF	N80-21.4	W067-37.0	907	09	20	86	01.3	107-	182	1	9	00	0	05	3	129	-02.7	-03.0
18	JF	N80-23.7	W068-25.7	907	09	20	86	06.7	108-	377	1	9	00	0	03	7	155	-06.3	-07.0
18	JF	N80-25.3	W069-03.3	907	09	20	86	08.3	109-	347	1	6	03	0	03	6	166	-05.9	-06.9
18	JF	N78-12.3	W075-07.4	260	09	21	86	19.7	110-	207	1	5	00	0	03	7	120	-06.0	-06.6
18	JF	N78-12.6	W074-52.7	260	09	21	86	21.0	111-	587	1	5	00	0	03	7	120	-05.5	-06.0
18	JF	N78-11.9	W074-12.4	260	09	22	86	03.3	112-	627	1	0	04	3	03	7	119	-06.0	-06.7
18	JF	N78-12.4	W073-43.4	260	09	22	86	00.0	113-	677	1	0	05	3	05	8	110	-07.8	-08.0
18	JF	N78-12.4	W072-59.9	260	09	22	86	01.3	114-	212	1	0	04	3	04	7	111	-07.3	-08.1
18	JF	N78-23.5	W074-06.4	260	09	22	86	07.0	115-	437	1	9	00	0	01	7	130	-07.5	-08.5

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPTH	NAV	ICE	MVD	HT	WND	V	BAR	DRY	WET
18	JF	N78-23.0	W074-13.1	260	09	22	86	09.0	115-A	467	1	9	00	0	02	5	131	-07.4	-08.1
18	JF	N78-22.8	W074-15.5	260	09	22	86	10.0	115-B	457	1	9	00	0	02	6	135	-07.5	-08.1
18	JF	N78-22.8	W074-15.0	260	09	22	86	11.0	115-C	467	1	9	00	0	01	6	130	-07.4	-08.1
18	JF	N78-22.6	W074-17.6	260	09	22	86	12.0	115-D	477	1	9	00	0	01	6	132	-07.6	-08.1
18	JF	N78-22.4	W074-17.4	260	09	22	86	13.0	115-E	495	1	9	00	0	01	5	132	-07.6	-08.2
18	JF	N78-22.2	W074-19.1	260	09	22	86	14.0	115-F	432	1	9	00	0	02	5	132	-07.9	-08.6
18	JF	N78-21.4	W074-21.5	260	09	22	86	15.0	115-G	417	1	9	00	0	02	5	131	-08.1	-08.8
18	JF	N78-21.3	W074-24.4	260	09	22	86	16.0	115-H	482	1	9	00	0	01	5	136	-08.0	-08.7
18	JF	N78-20.4	W074-27.6	260	09	22	86	17.0	115-I	502	1	9	00	0	02	5	140	-07.9	-08.6
18	JF	N78-19.5	W074-30.6	260	09	22	86	18.0	115-J	512	1	9	00	0	02	6	143	-08.0	-08.5
18	JF	N78-18.7	W074-33.8	260	09	22	86	19.0	115-K	577	1	9	00	0	03	6	144	-08.0	-08.5
18	JF	N78-17.3	W074-36.5	260	09	22	86	20.2	115-L	467	1	9	00	0	01	5	143	-08.0	-08.5
18	JF	N78-16.4	W074-36.5	260	09	22	86	22.5	115-M	567	1	9	03	0	03	6	145	-08.7	-08.9
18	JF	N78-12.1	W074-50.0	260	09	23	86	04.0	115-N	602	1	9	00	0	02	6	143	-09.5	-10.0
18	JF	N78-10.7	W074-53.2	260	09	23	86	05.0	115-O	607	1	9	00	0	02	6	144	-09.6	-10.5
18	JF	N78-09.3	W074-58.2	260	09	23	86	06.0	115-P	617	1	9	00	0	03	6	145	-08.8	-09.1
18	JF	N78-08.0	W075-01.4	260	09	23	86	07.0	115-Q	607	1	9	00	0	03	6	148	-09.0	-09.2
18	JF	N78-06.2	W075-05.2	260	09	23	86	08.0	115-R	607	1	9	00	0	03	5	150	-09.0	-09.5
18	JF	N78-04.6	W075-08.7	260	09	23	86	09.1	115-S	592	1	9	00	0	03	5	151	-08.6	-09.3
18	JF	N78-03.2	W075-11.4	260	09	23	86	10.0	115-T	577	1	9	00	0	03	6	151	-08.5	-09.3
18	JF	N78-01.9	W075-10.5	260	09	23	86	11.0	115-U	627	1	9	00	0	03	6	150	-08.4	-09.0
18	JF	N78-00.2	W075-12.2	260	09	23	86	12.0	115-V	622	1	9	00	0	04	6	150	-07.5	-08.0
18	JF	N77-59.4	W075-13.9	260	09	23	86	13.0	115-W	637	1	9	00	0	02	5	147	-07.4	-07.9

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPTH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18	JF	N77-57.6	W075-15.2	260	09	23	86	14.0	115-X	652	1	9	00	0	02	5	142	-07.6	-08.5
18	JF	N77-56.3	W075-17.2	260	09	23	86	15.0	115-Y	637	1	9	00	0	02	5	146	-07.9	-08.4
18	JF	N77-54.9	W075-20.7	260	09	23	86	16.0	115-Z	612	1	9	00	0	03	6	149	-07.7	-08.1
18	JF	N77-53.3	W075-23.7	260	09	23	86	17.0	116-	592	1	9	00	0	03	7	149	-07.8	-08.2
18	JF	N77-51.5	W075-34.2	260	09	23	86	18.5	117-	597	1	9	00	0	04	6	149	-08.0	-08.5
18	JF	N77-52.9	W074-19.6	260	09	23	86	21.0	118-	707	1	0	36	3	01	7	149	-07.1	-07.4
18	JF	N77-23.0	W074-31.1	260	09	24	86	07.7	119-	717	1	0	36	4	02	6	145	-04.5	-05.0
18	JF	N76-40.8	W074-27.0	260	09	24	86	16.3	120-	557	1	0	02	4	02	5	145	-01.0	-01.5
18	JF	N76-23.3	W072-43.6	260	09	24	86	20.5	121-	547	1	0	14	2	10	4	150	-01.0	-01.2
18	JF	N75-55.6	W061-29.0	259	09	25	86	14.0	122-	527	1	0	30	0	29	3	087	+01.5	+00.0
18	JF	N75-44.6	W061-52.7	259	09	25	86	15.8	123-	437	1	0	31	2	28	4	082	+00.6	-00.7
18	JF	N75-33.0	W062-11.5	259	09	25	86	17.3	124-	1042	1	0	30	2	29	5	083	+00.3	-00.8
18	JF	N75-20.7	W062-34.4	259	09	25	86	19.2	125-	237	1	0	34	3	29	5	085	+00.0	-00.3
18	JF	N75-09.8	W062-54.1	259	09	25	86	20.7	126-	177	1	0	35	2	30	6	089	+00.0	-01.0
18	JF	N75-00.2	W063-10.0	259	09	25	86	21.8	127-	127	1	0	31	2	30	6	098	-00.7	-01.3
18	JF	N74-49.6	W063-30.1	259	09	25	86	23.3	128-	262	1	0	29	2	30	6	110	-01.4	-01.8
18	JF	N74-38.1	W063-48.4	259	09	26	86	01.0	129-	372	1	2	00	0	29	6	118	-01.7	-01.9
18	JF	N74-25.5	W064-07.4	259	09	26	86	03.5	130-	912	1	3	00	0	29	5	129	-02.2	-02.8
18	JF	N74-16.0	W064-24.0	259	09	26	86	05.0	131-	957	1	2	00	0	30	5	133	-01.1	-01.9
18	JF	N74-07.1	W064-55.7	259	09	26	86	07.0	132-	>1600	1	0	28	2	31	4	136	-01.5	-02.1
18	JF	N74-39.9	W065-34.7	259	09	26	86	10.5	133-	>1600	1	6	00	0	29	3	120	-02.0	-03.4
18	JF	N74-53.2	W065-27.0	259	09	26	86	12.5	134-	417	1	6	00	0	28	4	110	-01.2	-02.4
18	JF	N75-05.4	W065-17.7	259	09	26	86	14.3	135-	322	1	3	29	0	29	4	099	-02.1	-03.2

STATION DATA MIZLANT 86 (ARCTIC EAST 1986)

NAT	SHIP	LAT	LONG	MSQ	MO	DY	YR	HR	STA	DPH	NAV	ICE	WVD	HT	WND	V	BAR	DRY	WET
18	JF	N75-17.3	W065-10.0	259	09	26	86	15.7	136-	222	1	0	29	0	29	4	087	-02.2	-03.2
18	JF	N75-29.9	W065-04.2	259	09	26	86	17.0	137-	162	1	0	30	0	31	3	080	-02.5	-03.5
18	JF	N75-42.1	W064-52.0	259	09	26	86	18.5	138-	617	1	0	35	1	35	3	072	-02.0	-02.1
18	JF	N75-52.0	W064-47.0	259	09	26	86	20.3	139-	622	1	3	00	0	01	5	058	-02.0	-02.5
18	JF	N75-47.5	W065-28.6	259	09	26	86	22.0	140-	542	1	4	00	0	34	5	045	-02.4	-02.7
18	JF	N75-42.2	W066-08.7	259	09	26	86	23.3	141-	562	1	0	00	0	34	2	033	-02.5	-02.7
18	JF	N75-38.3	W067-00.0	259	09	27	86	01.0	142-	437	1	0	00	0	32	3	022	-01.5	-02.3
18	JF	N75-33.0	W067-35.5	259	09	27	86	02.3	143-	337	1	0	00	0	32	3	013	-02.6	-03.1
18	JF	N75-27.3	W068-17.5	259	09	27	86	03.7	144-	397	1	0	33	2	33	5	010	-02.1	-02.8
18	JF	N75-22.3	W068-56.0	259	09	27	86	05.0	145-	592	1	0	36	5	33	7	004	-03.0	-04.7

APPENDIX B

Property Profiles For MIZLANT 86 Stations

This section contains plots of temperature, salinity, sound speed, and density (sigma-t) for all but one of the 145 stations occupied during MIZLANT 86 which were successfully recovered from the data logging system. Station 64 is missing due to difficulties in recovering the data. Both down and up profiles were obtained at each station but only down profiles are presented in this report, except for Stations 2, 95, 97, 101, 116, and 120A for which it was felt the up-trace was more accurate.

A time-series of hourly CTD lowerings was conducted at Station 115. Although data were collected, edited, and stored for each lowering, only the beginning and end plots, Stations 115 and 116, respectively, are included.

Two stations are plotted per page, each extending to a depth of 560 m. Several stations extended to depths exceeding 600 m with the deepest extending to 750 m (Stations 37, 41, 95, 119, 130, and 131) but little information is lost as temperatures and salinities below 560 m are essentially constant. Occasionally, the property scales had to be slightly changed to avoid profiles overlying one another. To assist in distinguishing between curves the temperature profile has been darkened four times and the salinity trace three times. The curves are also labeled: T for temperature, S for salinity, SV for sound velocity, and ST for sigma-t.

ST
SV
S
T

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0




MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MG/CC
M/SEC
P.P.T.
DEG C

23.0 25.5 28.0
1435.0 1447.5 1460.0
30.5 33.0 35.5
-2.0 0.0 2.0

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

23.0 1435.0 30.5 -2.0

25.5 1447.5 33.0 0.0

28.0 1460.0 35.5 2.0


23.0 1435.0 30.5 -2.0

25.5 1447.5 33.0 0.0

28.0 1460.0 35.5 2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

005


006

20

40

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

23.0 1435.0 30.5 -2.0

25.5 1447.5 33.0 0.0

28.0 1460.0 35.5 2.0

23.0 1435.0 30.5 -2.0

25.5 1447.5 33.0 0.0


28.0 1460.0 35.5 2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

009

010



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C


MIZLANT 86 CTD STATIONS

011

012

MIZLANT 86 CTD STATIONS


MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

MIZLANT 86 CTD STATIONS


ST
SV
S
T



DEPTH (M/10)

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

019


020

20

40

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

22.5 1435.0 30.5 -2.0

25.0 1447.5 33.0 0.0

27.5 1460.0 35.5 2.0


22.5 1435.0 30.5 -2.0

25.0 1447.5 33.0 0.0

27.5 1460.0 35.5 2.0


MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS




MIZLANT 86 CTD STATIONS

ST
SV
S
T



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

035

036

20

40

ST

SV


SV

S

ST

T

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C


MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST MG/CC
SV M/SEC
S P.P.T.
T DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0


MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



MIZLANT 86 CTD STATIONS


MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)


MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

051

052

SV

S

ST

T

SV

S

ST

T


SV

S

ST


MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

057

058

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

059

060

ST


S
SV

ST

S
SV


T

DEPTH (M/10)



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0


22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

22.5
1435.0
31.0
-2.0

25.0
1447.5
33.5
0.0

27.5
1460.0
36.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

068

069

27.5 MG/CC
1460.0 M/SEC
36.0 P.P.T.
2.0 DEG C

25.0
1447.5
33.5
0.0

27.5 22.5
1460.0 1435.0
36.0 31.0
2.0 -2.0


25.0
1447.5
33.5
0.0

22.5
1435.0
31.0
-2.0

ST
SV
S
T

MIZLANT 86 CTD STATIONS

DEPTH (M/10)



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

071

72B

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0


27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



073

074



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



ST
SV
S
T

DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

22.5
1435.0
30.5
-2.0

25.0
1447.5
33.0
0.0

27.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C


MIZLANT 86 CTD STATIONS

077

078


MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0


MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

083

084

MG/CC
M/SEC
P.P.T.
DEG




DEPTH (M/10)

DEPTH (M/10)

ST 23.0 25.5 28.0 MG/CC
SV 1435.0 1447.5 1460.0 M/SEC
S 30.5 33.0 35.5 P.P.T.
T -2.0 0.0 2.0 DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0


28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

089

090



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0


28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

091

092



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

093


094

40

20


MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C




MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

ST
SV
S
T

23.5
1435.0
30.5
-2.0

26.0
1447.5
33.0
0.0

28.5
1460.0
35.5
2.0

28.5
1460.0
35.5
2.0

26.0
1447.5
33.0
0.0

23.5
1435.0
30.5
-2.0

DEPTH (M/10)

20

40

101

102

ST

S

SV

T

ST


S

SV

T

MIZLANT 86 CTD STATIONS


MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

23.5
1435.0
30.5
-2.0

26.0
1447.5
33.0
0.0

28.5
1460.0
35.5
2.0

23.5
1435.0
30.5
-2.0

26.0
1447.5
33.0
0.0

28.5
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

107

108

20

40


SV
ST

SV
ST

T

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

22.5
1435.0
29.5
-2.0

25.0
1447.5
32.0
0.0

27.5
1460.0
34.5
2.0


22.5
1435.0
29.5
-2.0

25.0
1447.5
32.0
0.0

27.5
1460.0
34.5
2.0


MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS




MIZLANT 86 CTD STATIONS

ST
SV
S
T



MIZLANT 86 CTD STATIONS


MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0


23.0
1435.0
30.5
-2.0

25.5
1447.5
33.0
0.0

28.0
1460.0
35.5
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



ST
SV
S
T

23.0 1440.0 30.5 -2.0

25.5 1452.5 33.0 0.0

28.0 1465.0 35.5 2.0

23.0 1440.0 30.5 -2.0

25.5 1452.5 33.0 0.0

28.0 1465.0 35.5 2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS


DEPTH (M/10)

20

40

121

122A



WD-1195-622


HIZLANT 86 DATA REPORT RESULTS OF AN OCEANOGRAPHIC
CRUISE TO NORTHERN BAF (U) NAVAL POSTGRADUATE SCHOOL
MONTEREY CA R H BOURKE ET AL APR 88 NPS-68-84-004

UNCLASSIFIED

F/G 8/3


NL





MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

125A


126

20

40



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C




ST
SV
S
T

DEPTH (M/10)

ST
 SV
 S
 T

23.0 25.5 28.0
 1430.0 1450.0 1470.0
 30.0 32.5 35.0
 -2.0 0.0 2.0

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

23.0
1430.0
30.0
-2.0

25.5
1450.0
32.5
0.0

28.0
1470.0
35.0
2.0


23.0
1430.0
30.0
-2.0

25.5
1450.0
32.5
0.0

28.0
1470.0
35.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS



DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

135

136

20

40

T

SV

S

ST

T

SV

S

ST

DEPTH (M/10)

ST
SV
S
T

23.0
1440.0
30.0

25.5
1452.5
32.5

28.0
1465.0
35.0

23.0
1440.0
30.0

25.5
1452.5
32.5

28.0
1465.0
35.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

137

138

25

50

DEPTH (M/10)

ST
SV
S
T

23.0
1440.0
30.0
-2.0

25.5
1452.5
32.5
0.0

28.0
1465.0
35.0
2.0

23.0
1440.0
30.0
-2.0

25.5
1452.5
32.5
0.0

28.0
1465.0
35.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

139

140

20

40

SV

T

S

ST

SV


T

S

ST

MIZLANT 86 CTD STATIONS

MG/CC
M/SEC
P.P.T.
DEG C



DEPTH (M/10)

DEPTH (M/10)

ST
SV
S
T

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

23.0
1435.0
30.0
-2.0

25.5
1447.5
32.5
0.0

28.0
1460.0
35.0
2.0

MG/CC
M/SEC
P.P.T.
DEG C

MIZLANT 86 CTD STATIONS

143

144

ST
SV
S

SVST
S
T

28.0 MG/CC
 1470.0 M/SEC
 35.0 P.P.T.
 2.0 DEG C

25.5
 1450.0
 32.5
 0.0

28.0 23.0
 1470.0 1430.0
 35.0 30.0
 2.0 -2.0


25.5
 1450.0
 32.5
 0.0

23.0
 1430.0
 30.0
 -2.0

ST
 SV
 S
 T

MIZLANT 86 CTD STATIONS

DEPTH (M/10)



145

INITIAL DISTRIBUTION LIST

	No. Copies
1. Director Applied Physics Laboratory Attn: Mr. Robert E. Francois Mr. E.A. Pence Mr. G.R. Garrison Library University of Washington 1013 Northeast 40th Street Seattle, Washington 98105	1 1 1 1
2. Director Arctic Submarine Laboratory Code 19, Building 371 Naval Ocean Systems Center San Diego, California 92152	5
3. Superintendent Naval Postgraduate School Attn: Dr. R.H. Bourke, Code 68Bf Dr. R.G. Paquette, Code 68Pa Dr. D.C. Smith IV, Code 68Si Monterey, California 93943	7 1 1
4. Polar Research Laboratory, Inc. 6309 Carpinteria Ave. Carpinteria, California 93103	1
5. Chief of Naval Operations Department of the Navy Attn: NOP-02 NOP-22 NOP-964D2 NOP-095 NOP-098 Washington, District of Columbia 20350	1 1 1 1 1
6. Commander Submarine Squadron THREE Fleet Station Post Office San Diego, California 92132	1
7. Commander Submarine Group FIVE Fleet Station Post Office San Diego, California 92132	1
8. Dr. John L. Newton 10211 Rookwood Drive San Diego, California 92131	1

- | | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| 9. | Director
Marine Physical Laboratory
Scripps Institution of Oceanography
San Diego, California 92132 | 1 |
| 10. | Commanding Officer
Naval Intelligence Support Center
4301 Suitland Road
Washington, District of Columbia 20390 | 1 |
| 11. | Commander
Space and Naval Warfare Systems Command
Department of the Navy
Washington, District of Columbia 20360 | 1 |
| 12. | Director
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts 02543 | 1 |
| 13. | Commanding Officer
Naval Coastal Systems Laboratory
Panama City, Florida 32401 | 1 |
| 14. | Commanding Officer
Naval Submarine School
Naval Submarine Base, New London
Groton, Connecticut 06349-5700 | 1 |
| 15. | Assistant Secretary of the Navy
(Research and Development)
Department of the Navy
Washington, District of Columbia 20350 | 1 |
| 16. | Director of Defense Research and Engineering
Office of Assistant Director (Ocean Control)
The Pentagon
Washington, District of Columbia 20301 | 1 |
| 17. | Commander, Naval Sea Systems Command
Department of the Navy
Washington, District of Columbia 20362 | 1 |
| 18. | Chief of Naval Research
Department of the Navy
Attn: Code 102-0S
Code 220
Code 1125 Arctic
800 N. Quincy Street
Arlington, Virginia 22217 | 1
1
1 |

- | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 19. | Project Manager
Anti-Submarine Warfare Systems Project
Office (PM4)
Department of the Navy
Washington, District of Columbia 20360 | 1 |
| 20. | Commanding Officer
Naval Underwater Systems Center
Newport, Rhode Island 02840 | 1 |
| 21. | Commander
Naval Air Systems Command
Headquarters
Department of the Navy
Washington, District of Columbia 20361 | 1 |
| 22. | Commander
Naval Oceanographic Office
Attn: Library Code 3330
Washington, District of Columbia 20373 | 1 |
| 23. | Director
Advanced Research Project Agency
1400 Wilson Boulevard
Arlington, Virginia 22209 | 1 |
| 24. | Commander SECOND Fleet
Fleet Post Office
New York, New York 09501 | 1 |
| 25. | Commander THIRD Fleet
Fleet Post Office
San Francisco, California 96601 | 1 |
| 26. | Commander
Naval Surface Weapons Center
White Oak
Attn: Mr. M.M. Kleinerman
Library
Silver Springs, Maryland 20910 | 1
1 |
| 27. | Officer-in-Charge
New London Laboratory
Naval Underwater Systems Center
New London, Connecticut 06320 | 1 |
| 28. | Commander
Submarine Development Squadron TWELVE
Naval Submarine Base
New London
Groton, Connecticut 06349 | 1 |

- | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------|---|
| 29. | Commander
Naval Weapons Center
Attn: Library
China Lake, California 93555 | 1 |
| 30. | Commander
Naval Electronics Laboratory Center
Attn: Library
271 Catalina Boulevard
San Diego, California 92152 | 1 |
| 31. | Director
Naval Research Laboratory
Attn: Technical Information Division
Washington, District of Columbia 20375 | 1 |
| 32. | Director
Ordnance Research Laboratory
Pennsylvania State University
State College, Pennsylvania 16801 | 1 |
| 33. | Commander Submarine Force
U.S. Atlantic Fleet
Norfolk, Virginia 23511 | 1 |
| 34. | Commander Submarine Force
U.S. Pacific Fleet
Attn: N-21
Pearl Harbor, Hawaii 96860-6550 | 1 |
| 35. | Commander
Naval Air Development Center
Warminster, Pennsylvania 18974 | 1 |
| 36. | Commander
Naval Ship Research and Development Center
Bethesda, Maryland 20084 | 1 |
| 37. | Commandant
U.S. Coast Guard Headquarters
400 Seventh Street, S.W.
Washington, District of Columbia 20590 | 1 |
| 38. | Commander
Pacific Area, U.S. Coast Guard
630 Sansome Street
San Francisco, California 94126 | 1 |
| 39. | Commander
Atlantic Area, U.S. Coast Guard
159E, Navy Yard Annex
Washington, District of Columbia 20590 | 1 |

- | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| 40. | Commanding Officer
U.S. Coast Guard Oceanographic Unit
Building 159E, Navy Yard Annex
Washington, District of Columbia 20590 | 1 |
| 41. | Scientific Liaison Office
Office of Naval Research
Scripps Institute of Oceanography
La Jolla, California 92037 | 1 |
| 42. | Scripps Institution of Oceanography
Attn: Library
P.O. Box 2367
La Jolla, California 92037 | 1 |
| 43. | School of Oceanography
University of Washington
Attn: Dr. L.K. Coachman
Dr. S. Martin
Mr. D. Tripp
Library
Seattle, Washington 98195 | 1
1
1
1 |
| 44. | School of Oceanography
Oregon State University
Attn: Library
Corvallis, Oregon 97331 | 1 |
| 45. | CRREL
U.S. Army Corps of Engineers
Attn: Library
Hanover, New Hampshire 03755-1290 | 1 |
| 46. | Commanding Officer
Fleet Numerical Oceanography Center
Monterey, California 93943 | 1 |
| 47. | Commanding Officer
Naval Environmental Prediction Research Facility
Monterey, California 93943 | 1 |
| 48. | Defense Technical Information Center
Cameron Station
Alexandria, Virginia 22304-6145 | 2 |
| 49. | Commander
Naval Oceanography Command
NSTL Station
Bay St. Louis, Mississippi 39529 | 1 |

50. Commanding Officer
Naval Ocean Research and Development Activity
Attn: Technical Director 1
NSTL Station
Bay St. Louis, Mississippi 39529
51. Commanding Officer 1
Naval Polar Oceanography Center, Suitland
Washington, District of Columbia 20373
52. Director 1
Naval Oceanography Division
Naval Observatory
34th and Massachusetts Ave. NW
Washington, District of Columbia 20390
53. Commanding Officer
Naval Oceanographic Command 1
NSTL Station
Bay St. Louis, Mississippi 39522
54. Scott Polar Research Institute
University of Cambridge
Attn: Library 1
Sea Ice Group 1
Cambridge, ENGLAND
CB2 1ER
55. Chairman 2
Department of Oceanography
U.S. Naval Academy
Annapolis, Maryland 21402
56. Dr. James Morison 1
Polar Science Center
4057 Roosevelt Way, NE
Seattle, Washington 98105
57. Dr. Kenneth Hunkins 1
Lamont-Doherty Geological Observatory
Palisades, New York 10964
58. Dr. David Paskowsky, Chief 1
Oceanography Branch
U.S. Department of the Coast Guard
Research and Development Center
Avery Point, Connecticut 06340
59. Science Applications, Inc.
Attn: Dr. Robin Muench 1
13400B Northrup Way
Suite 36
Bellevue, Washington 98005

60. Institute of Polar Studies
Attn: Library 1
103 Mendenhall
125 South Oval Mall
Columbus, Ohio 43210
61. Institute of Marine Science
University of Alaska
Attn: Library 1
Fairbanks, Alaska 99701
62. Department of Oceanography
University of British Columbia
Attn: Library 1
Vancouver, British Columbia
CANADA
V6T 1W5
63. Institute of Marine Science
University of Alaska
Attn: Dr. H.J. Niebauer 1
Fairbanks, Alaska 99701
64. Bedford Institute of Oceanography
Attn: Dr. P. Jones 1
Library 1
P.O. Box 1006
Dartmouth, Nova Scotia
CANADA
B2Y 4A2
65. Carol Pease 1
Pacific Marine Environmental Lab/NOAA
7600 Sand Point Way N.E.
Seattle, Washington 98115
66. Department of Oceanography 1
Dalhousie University
Halifax, Nova Scotia
CANADA
B3H 4J1
67. Dr. Richard Armstrong 2
MIZEX Data Manager
National Snow and Ice Data Center
Cooperative Institute for Research
in Environmental Sciences
Boulder, Colorado 80309

68. Institute of Ocean Sciences
Attn: Dr. Eddy Carmack 1
Dr. E. L. Lewis 1
Dr. G. Holloway 1
P.O. Box 6000
Sidney, British Columbia
CANADA
V8L 4B2
70. Dr. Knut Aagaard 1
NOAA/PMEL
NOAA Bldg. #3
7600 Sand Point Way, N.E.
Seattle, Washington 98115
71. Department of Ocean Engineering 1
Attn: Library
Mass. Institute of Technology
Cambridge, Massachusetts 02139
72. Dr. Theodore D. Foster 1
Center for Coastal Marine Studies
University of California
Santa Cruz, California 95064
73. Research Administration 1
Code 012
Naval Postgraduate School
Monterey, California 93943-5000
74. Dr. Hugh D. Livingston 1
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts 02543
75. Dr. T.O. Manley 1
Lamont-Doherty Geological Observatory
Palisades, New York 10964
76. Dr. A. Foldvik 1
Geophysical Institute
University of Bergen
Bergen, NORWAY
77. Dr. Preben Gudmandsen 1
Electromagnetics Institute
Technical University of Denmark
Building 349
DK-2800 Lyngby, DENMARK
78. Dr. D. Hanzlick 1
Flow Industries, Inc.
Kent, Washington 98064

79. Dr. W.D. Hibler 1
Thayer School of Engineering
Dartmouth College
Hanover, New Hampshire 03755
80. Director General Fleet Systems 1
Attn: Ivan Cote'
Canadian Coast Guard
Tower A, Place de Ville
Ottawa, Ontario
Canada K1A 0N7
81. Mr. Tom Cocke 1
Office of Marine Science
U.S. Department of State
Washington, D.C. 20525
82. Commanding Officer 1
CCGS SIR JOHN FRANKLIN
Canadian Coast Guard Base
P.O. Box 1300
St. John's Newfoundland
Canada A1C 6H8
83. M. Kim O. McCoy 1
SeaMetrics
9320 Chesapeake Dr., #212
San Diego, CA 92123
84. CDR Erik Thomsen 1
Danish Liaison Office
Thule AFB
Thule, Greenland
85. LT V. G. Addison, Jr. 5
46 Division Avenue
Massapequa, N.Y. 11758
86. LT A.M. Weigel 1
4332 Great Oak Drive
Charleston, SC 29418
87. Superintendent 2
Naval Postgraduate School
Attn: Library (Code 0142)
Monterey, California 93943-5002

END

DATED
FILM

9-88

DTIC